

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>				1. Contract ID Code Firm-Fixed-Price		Page 1 Of 4	
2. Amendment/Modification No.  0002		3. Effective Date  2005OCT24		4. Requisition/Purchase Req No.  SEE SCHEDULE		5. Project No. (If applicable)	
6. Issued By TACOM WARREN AMSTA-AQ-ATAF TYRON S. WILLIAMS (586)574-7508 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL EMAIL: TYRON.S.WILLIAMS@TACOM.ARMY.MIL		Code W56HZV		7. Administered By (If other than Item 6) Code			
				SCD PAS ADP PT			
8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code)				<input checked="" type="checkbox"/>		9A. Amendment Of Solicitation No.	
						W56HZV-05-R-1176	
						9B. Dated (See Item 11) 2005OCT04	
				<input type="checkbox"/>		10A. Modification Of Contract/Order No.	
						10B. Dated (See Item 13)	
Code		Facility Code					
<b>11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS</b>							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing items 8 and 15, and returning <u>2 signed</u> copies of the amendments: (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. <b>FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.</b> If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. Accounting And Appropriation Data (If required)							
<b>13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS</b> It Modifies The Contract/Order No. As Described In Item 14.							
<input type="checkbox"/>		A. This Change Order is Issued Pursuant To: The Contract/Order No. In Item 10A.				The Changes Set Forth In Item 14 Are Made In	
<input type="checkbox"/>		B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).					
<input type="checkbox"/>		C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of:					
<input type="checkbox"/>		D. Other (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the Issuing Office.							
14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)							
SEE SECOND PAGE FOR DESCRIPTION							
<p>Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.</p>							
15A. Name And Title Of Signer (Type or print)				16A. Name And Title Of Contracting Officer (Type or print)			
15B. Contractor/Offeror		15C. Date Signed		16B. United States Of America		16C. Date Signed	
(Signature of person authorized to sign)				By _____ /SIGNED/		(Signature of Contracting Officer)	
NSN 7540-01-152-8070 PREVIOUS EDITIONS UNUSABLE				30-105-02		STANDARD FORM 30 (REV. 10-83) Prescribed by GSA FAR (48 CFR) 53.243	

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> W56HZV-05-R-1176 <b>MOD/AMD</b> 0002	<b>Page</b> 2 <b>of</b> 4
---------------------------	---	---------------------------

**Name of Offeror or Contractor:**

SECTION A - SUPPLEMENTAL INFORMATION

- 1. The purpose of this Amendment 0002 to solicitation W56HZV-05-R-1176 is to correct the PACKAGING REQUIREMENTS (SPECIAL PACKING INSTRUCTIONS) clause that appears in Section D of the RFP.
- 2. The Special Packaging Instruction Number should be AK14440356 for this solicitation in lieu of the currently stated Special Packaging Instruction Number AK13859462.
- 3. The closing date and time remain unchanged. All other terms and conditions remain unchanged.

\*\*\* END OF NARRATIVE A 002 \*\*\*

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 3 of 4
	PIIN/SIIN W56HZV-05-R-1176MOD/AMD 0002	
Name of Offeror or Contractor:		

SECTION D - PACKAGING AND MARKING

Status	Regulatory Cite	Title	Date
D-1 CHANGED	52.211-4515 (TACOM)	PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)	AUG/2005

(a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.

- (1) LEVEL OF PRESERVATION: Military
- (2) LEVEL OF PACKING: A
- (3) QUANTITY PER UNIT PACKAGE: 001
- (4) SPECIAL PACKAGING INSTRUCTION NUMBER. AK14440356
- (a) REVISION A
- (b) DATE OF REVISION As listed on SPI

(c) THE REQUIRED SPECIAL PACKAGING INSTRUCTION (SPI)IS AVAILABLE ON THE WEB AT THE FOLLOWING URL  
<https://packaging.tacom.army.mil/phst/SPI/05/80/14.pdf>

(You must have the Adobe Acrobat reader installed on your PC to view the SPI. See the TACOM Acquisition Center web site.  
(<http://contracting.tacom.army.mil/opportunity.htm>), tech data help, for viewer instructions and download or  
(<http://contracting.tacom.army.mil/faq.htm>) for information on obtaining the latest version of the reader.)

(b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

(c) Marking:

(1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P(2), dated 10 Feb 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3.

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee."

(4) Commercial software may be used to generate a Military Shipment Label / Issue Receipt Document (MSL/IRRD)including the required Code 39 and 2D(PDF417) bar codes. However, the commercial software must produce labels/documents which comply with the requirements of MIL-STD-129P. Contractors shall insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, and DODAAC. (Army developed software, for creating MSL/IRRD previously available to those with government contracts is no longer supported.)

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> W56HZV-05-R-1176 <b>MOD/AMD</b> 0002	<b>Page</b> 4 <b>of</b> 4
<b>Name of Offeror or Contractor:</b>		

(d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organization's compliance program. In addition, wood used as dunnage for blocking and bracing shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.

(e) Hazardous Materials (As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

\b7 International Air Transport Association (IATA) Dangerous Goods Regulations  
 \b7 International Maritime Dangerous Goods Code (IMDG)  
 \b7 Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49  
 \b7 Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO  
 P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

(g) SUPPLEMENTAL INSTRUCTIONS: N/A

[End of Clause]